

GOVERNMENT OF TELANGANA
ABSTRACT

I.A.S. – Smt Shalini Misra, IAS(88) - Regularization of the waiting period from 18.03.2015 to 12.04.2015 as Compulsory wait - Orders - Issued.

GENERAL ADMINISTRATION (SC.A) DEPARTMENT

G.O.RT.No. 1330

Dated: 11-05-2015,
Read the following:-

- 1.G.O.Rt.No.834, General Admn (SC.A) Dept .,
Govt.of.A.P.Dt.16.3.2015
2. G.O.Rt.No.1080, General Admn (SC.A) Dept Dt.12.04.2015.
3. G.O.Rt.No.1149, General Admn (SC.A) Dept Dt.21.04.2015.
4. Letter from Shalini Misra, IAS , Letter dated: 01.05.2015

.....

ORDER:

In pursuance of the orders issued in the G.O. 1st read above, on relief from the Government of Andhra Pradesh, Smt Shalini Misra, IAS (88) has reported for duty in General Administration Department, Government of Telangana on 18.03.2015 for posting. In G.O. 2nd read above, Smt Shalini Misra, IAS (88) was posted as Managing Director, Telangana Drinking Water Corporation, Hyderabad. The MOS has assumed charge of post on 13.04.2015. In the G.O. 3rd read above, Smt Shalini Misra, IAS (88) was posted as Metropolitan Commissioner, HMDA, Hyderabad. In the reference 4th read above, the MOS has requested to treat the period from 18.03.2015 to 12.04.2015 as compulsory wait.

2. Having regard to the circumstances of the case, the Government hereby directs that the period from 18.03.2015 to 12.04.2015 in respect of Smt Shalini Misra, IAS (88), Metropolitan Commissioner, HMDA, Hyderabad, shall be treated as Compulsory wait under F.R.9 (6)(b).

3. This order does not require the concurrence of Finance Department as per the rules in vogue.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

VIKAS RAJ,
Secretary to Government (Poll.)

To
The Officer concerned.
The Pay & Accounts Officer, Hyderabad.

Copy to:

The Accountant General (A&E), Telangana, Hyderabad.
The Secretary to Govt. of India, Min. of Personnel, PGs & Pensions,
Dept. of Personnel & Training, New Delhi-110 001.
The General Administration (SC.C) Department.
SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER (SC)